

Adjuvant / Neo-Adjuvant Breast Cancer trials	Recruitment Status / key words
<p>A Randomized, Double-Blind, Placebo-Controlled Trial of an experimental drug after Trastuzumab in Women with Early-Stage HER-2/neu Overexpressed/Amplified Breast Cancer. Link to further study information: https://clinicaltrials.gov/ct2/show/NCT00878709?term=neratinib&rank=16</p>	Closed
<p>An Open Label Study to Characterize the Incidence and Severity of Diarrhoea in Patients with Early Stage HER2+ Breast Cancer Treated with an experimental drug and Intensive Loperamide Prophylaxis. Link to further study information: https://clinicaltrials.gov/ct2/show/NCT02400476?term=neratinib&rank=24</p>	Open HER2+
<p>A Randomized, Double-Blind, Placebo-Controlled, Multi-Center Phase 3 Study of an experimental drug as Adjuvant Treatment for Women with Early-Stage Breast Cancer at High Risk of Recurrence. Link to further study information: http://www.australiancancertrials.gov.au/search-clinical-trials/search-results/clinical-trials-details.aspx?TrialID=NCT01077154&ds=2</p>	Closed
<p>Neoadjuvant chemotherapy with nab-paclitaxel in women with HER2-negative high risk breast cancer. Link to further study information: http://www.australiancancertrials.gov.au/search-clinical-trials/search-results/clinical-trials-details.aspx?TrialID=363470&ds=1</p>	Closed HER2-
Locally Advanced / Metastatic Breast Cancer Trials	
<p>A Phase 2 Study of an experimental drug in Patients with Brain Metastases Secondary to Hormone Receptor Positive Breast Cancer, Non-small Cell Lung Cancer (NSCLC), or Melanoma. Link to further study information: http://www.australiancancertrials.gov.au/search-clinical-trials/search-results/clinical-trials-details.aspx?TrialID=NCT02308020&ds=2</p>	Open Hormone+
<p>A Randomized Open-Label Phase III Study of an experimental drug versus Single Agent Chemotherapy per Physician's Choice for Metastatic Triple Negative Breast Cancer (mTNBC). Link to further study information: https://clinicaltrials.gov/ct2/show/NCT02555657?term=keynote+119&rank=1</p>	Closed TNBC
<p>A randomized double-blind, placebo-controlled study of an experimental drug in combination with letrozole for the treatment of postmenopausal women with hormone receptor positive, HER2 negative, advanced breast cancer who received no prior therapy for advanced disease. Link to further study information: http://www.australiancancertrials.gov.au/search-clinical-trials/search-results/clinical-trials-details.aspx?TrialID=NCT01958021&ds=2</p>	Closed HER2-

<p>A phase Ib/II, multicentre, study of the combination of 2 experimental drugs with letrozole in adult patients with advanced ER+ breast cancer. Link to further study information: http://www.australiancancertrials.gov.au/search-clinical-trials/search-results/clinical-trials-details.aspx?TrialID=NCT01872260&ds=2</p>	<p>Open Hormone +</p>
<p>A Phase III randomized, double-blind, placebo-controlled study of an experimental drug or placebo in combination with tamoxifen and goserelin or a non-steroidal aromatase inhibitor (NSAI) and goserelin for the treatment of premenopausal women with hormone receptor positive, HER2-negative, advanced breast cancer. Link to further study information: http://www.australiancancertrials.gov.au/search-clinical-trials/search-results/clinical-trials-details.aspx?TrialID=NCT02278120&ds=2</p>	<p>Closed Hormone + HER2-</p>
<p>A randomized double-blind, placebo controlled study of an experimental drug in combination with fulvestrant for the treatment of postmenopausal women with hormone receptor positive, HER2-negative, advanced breast cancer who have received no or only one line of prior endocrine treatment. Link to further study information: http://www.australiancancertrials.gov.au/search-clinical-trials/search-results/clinical-trials-details.aspx?TrialID=NCT02422615&ds=2</p>	<p>Closed Hormone + Her2-</p>
<p>A phase III randomized, double-blind placebo controlled study of an experimental drug with fulvestrant, in postmenopausal women with hormone receptor-positive HER2-negative locally advanced or metastatic breast cancer which progressed on or after aromatase inhibitor treatment. Link to further study information: http://www.australiancancertrials.gov.au/search-clinical-trials/search-results/clinical-trials-details.aspx?TrialID=NCT01610284&ds=2</p>	<p>Closed Hormone + HER2-</p>
<p>A randomized phase II study of an experimental drug combined with Carboplatin and Gemcitabine in advanced Triple Negative Breast Cancer (TNBC). Link to further study information: https://clinicaltrials.gov/ct2/show/NCT02435680?term=MCS110&rank=2</p>	<p>Closed TNBC</p>
<p>A Phase 3 Randomized, Placebo-Controlled Trial of Carboplatin and Paclitaxel With or Without the experimental drug in HER2- Negative Metastatic or Locally Advanced Unresectable BRCA-Associated Breast Cancer. Link to further study information: http://www.australiancancertrials.gov.au/search-clinical-trials/search-results/clinical-trials-details.aspx?TrialID=NCT02163694&ds=2</p>	<p>Open HER2- BRCA</p>
<p>Other Breast Cancer Trials</p>	
<p>Randomised study to evaluate the impact of Aerobic and Resistance Exercise on fatigue in patients with advanced breast cancer (AREA study). Link to further study information: https://www.anzctr.org.au/Trial/Registration/TrialReview.aspx?id=365987&isReview=true</p>	<p>Open</p>

Primary breast Cancer Surgery in metastatic breast cancer patients: impact of breast cancer subtype on outcome (SPIM-trial)	Not applicable
Establishing the prognostic importance of key immune suppressor cells and molecules in the primary tumor and regional nodes of patients with luminal B breast cancer (IMIB-trial)	Not applicable
Predictive markers of response to systemic therapy using archival Breast tumor tissue (Nottingham-trial)	Not applicable
Incidence of chemotherapy-induced alopecia in breast cancer patients: effectiveness of two temperature levels. <i>Link to further study information</i> https://www.anzctr.org.au/Trial/Registration/TrialReview.aspx?id=369323&isReview=true (CIA trial)	Closed