

Adjuvant / Neo-Adjuvant Breast Cancer trials	Recruitment Status / key words
<p>A randomized phase 3 trial of an experimental drug with standard adjuvant endocrine therapy versus standard adjuvant endocrine therapy alone for hormone receptor positive (HR+) / human epidermal growth factor receptor 2 (HER2)-negative early breast cancer (PALLAS). Link to further study information: https://clinicaltrials.gov/show/NCT02513394</p>	Open
<p>An Open Label Study to Characterize the Incidence and Severity of Diarrhoea in Patients with Early Stage HER2+ Breast Cancer Treated with an experimental drug and Intensive Loperamide Prophylaxis(PUMA6201). Link to further study information: https://clinicaltrials.gov/ct2/show/NCT02400476?term=neratinib&rank=24</p>	Open HER2+
<p>A Randomized, Open-Label, Phase 3 Study of Abemaciclib Combined With Standard Adjuvant Endocrine Therapy Versus Standard Adjuvant Endocrine Therapy Alone in Patients With High Risk, Node Positive, Early Stage, Hormone Receptor Positive, Human Epidermal Receptor 2 Negative, Breast Cancer (MonarchE) Link to further study information: https://clinicaltrials.gov/ct2/show/NCT03155997</p>	Open HR+ HER2-
<p>A Randomized, Double-Blind, Placebo-Controlled Trial of an experimental drug after Trastuzumab in Women with Early-Stage HER-2/neu Overexpressed/Amplified Breast Cancer (ExteNET). Link to further study information: https://clinicaltrials.gov/ct2/show/NCT00878709?term=neratinib&rank=16</p>	Closed
<p>Neoadjuvant chemotherapy with nab-paclitaxel in women with HER2-negative high risk breast cancer (ETNA). Link to further study information: http://www.australiancancertrials.gov.au/search-clinical-trials/search-results/clinical-trials-details.aspx?TrialID=363470&ds=1</p>	Closed
Locally Advanced / Metastatic Breast Cancer Trials	
<p>Phase 2 Randomized, Double-Blinded, Controlled Study of an experimental drug versus Placebo in Combination with Capecitabine and Trastuzumab in Patients with Pretreated Unresectable Locally Advanced or Metastatic HER2+ Breast Carcinoma (HER2CLIMB). Link to further study information: https://clinicaltrials.gov/show/NCT02614794</p>	Open
<p>A phase 3 open-label, randomized, multicenter study of an experimental drug versus treatment of physician's choice (tpc) in patients with metastatic breast cancer who have stable brain metastases and have been previously treated with an anthracycline, a taxane, and capecitabine</p>	Open

(ATTAIN). Link to further study information: https://clinicaltrials.gov/show/NCT02915744	
A phase Ib/II, multicentre, study of the combination of 2 experimental drugs with letrozole in adult patients with advanced ER+ breast cancer(Lee2107). Link to further study information: http://www.australiancancertrials.gov.au/search-clinical-trials/search-results/clinical-trials-details.aspx?TrialID=NCT01872260&ds=2	Open Hormone +
A Randomized, Open Label, Phase III Trial to Evaluate the Efficacy and Safety of Palbociclib + Anti-HER2 Therapy + Endocrine Therapy vs. Anti-HER2 Therapy + Endocrine Therapy after Induction Treatment for Hormone Receptor Positive (HR+)/HER2-Positive Metastatic Breast Cancer Link to further study information: https://clinicaltrials.gov/show/NCT02947685	Open
Randomized, Phase 3 Study of Teseaxel Plus a Reduced Dose of Capecitabine Versus Capecitabine Alone in Patients With HER2 Negative, HR Positive, Locally Advanced or Metastatic Breast Cancer Previously Treated With a Taxane (Contessa). Link to further study information: https://clinicaltrials.gov/ct2/show/NCT03326674	Open
A Phase I/II, Open Label, Multicenter Study of the Safety and Efficacy of LAG525 Single Agent and in Combination With PDR001 Administered to Patients With Advanced Malignancies. Link to further study information: https://clinicaltrials.gov/ct2/show/NCT02460224	Open
A Phase 2, Randomized, Multicentre, 3-Arm, Open-Label Study to Compare the Efficacy of an experimental drug plus Trastuzumab with or without Fulvestrant to Standard-of-Care Chemotherapy of Physician's Choice plus Trastuzumab in Women with HR+, HER2+ Locally Advanced or Metastatic Breast Cancer (JPBZ). Link to further study information: https://www.clinicaltrials.gov/show/NCT02675231	Closed
A Phase 2 Study of an experimental drug in Patients with Brain Metastases Secondary to Hormone Receptor Positive Breast Cancer, Non-small Cell Lung Cancer (NSCLC), or Melanoma. Link to further study information: http://www.australiancancertrials.gov.au/search-clinical-trials/search-results/clinical-trials-details.aspx?TrialID=NCT02308020&ds=2	Closed
A Phase 3 Randomized, Placebo-Controlled Trial of Carboplatin and Paclitaxel With or Without the experimental drug in HER2- Negative Metastatic or Locally Advanced Unresectable BRCA-Associated Breast Cancer. Link to further study information: http://www.australiancancertrials.gov.au/search-clinical-trials/search-results/clinical-trials-details.aspx?TrialID=NCT02163694&ds=2	Closed
A Randomized Open-Label Phase III Study of an experimental drug versus Single Agent Chemotherapy per Physician's Choice for Metastatic Triple Negative Breast Cancer (Mtnbc/MK-3475-119/KEYNOTE-119). Link to further study information:	Closed TNBC

https://clinicaltrials.gov/ct2/show/NCT02555657?term=keynote+119&rank=1	
<p>A randomized double-blind, placebo-controlled study of an experimental drug in combination with letrozole for the treatment of postmenopausal women with hormone receptor positive, HER2 negative, advanced breast cancer who received no prior therapy for advanced disease (MONALEESA-2). Link to further study information: http://www.australiancancertrials.gov.au/search-clinical-trials/search-results/clinical-trials-details.aspx?TrialID=NCT01958021&ds=2</p>	Closed
<p>A Phase III randomized, double-blind, placebo-controlled study of an experimental drug or placebo in combination with tamoxifen and goserelin or a non-steroidal aromatase inhibitor (NSAI) and goserelin for the treatment of premenopausal women with hormone receptor positive, HER2-negative, advanced breast cancer (MONALEESA-7). Link to further study information: http://www.australiancancertrials.gov.au/search-clinical-trials/search-results/clinical-trials-details.aspx?TrialID=NCT02278120&ds=2</p>	Closed
<p>A randomized double-blind, placebo controlled study of an experimental drug in combination with fulvestrant for the treatment of postmenopausal women with hormone receptor positive, HER2-negative, advanced breast cancer who have received no or only one line of prior endocrine treatment (MONALEESA-3). Link to further study information: http://www.australiancancertrials.gov.au/search-clinical-trials/search-results/clinical-trials-details.aspx?TrialID=NCT02422615&ds=2</p>	Closed
<p>A phase III randomized, double-blind placebo controlled study of an experimental drug with fulvestrant, in postmenopausal women with hormone receptor-positive HER2-negative locally advanced or metastatic breast cancer which progressed on or after aromatase inhibitor treatment (BELLE-2). Link to further study information: http://www.australiancancertrials.gov.au/search-clinical-trials/search-results/clinical-trials-details.aspx?TrialID=NCT01610284&ds=2</p>	Closed
<p>A randomized phase II study of an experimental drug combined with Carboplatin and Gemcitabine in advanced Triple Negative Breast Cancer (TNBC). Link to further study information: https://clinicaltrials.gov/ct2/show/NCT02435680?term=MCS110&rank=2</p>	Closed